

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L10	0	((multiplexer or "MUX") and (PMOS or NMOS or CMOS or (transmission adj gate)) and current and (sens\$3 or monitor\$3 or measur\$3) near2 input adj voltage and select\$3).clm.	US-PGPUB; USPAT	OR	OFF	2005/11/03 14:32

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	832	("370/537").ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/03 11:20
L6	14	L1 and (voltage near2 (monitor\$3 or sens\$3 or measur\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/03 11:35
L7	1828	multiplexer with "ADC"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/03 14:14
L8	150	L7 and spike\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/03 11:42
L9	85	L8 and protection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/03 13:53
L11	3	L9 and (over or under) adj voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/03 14:10
L12	35	(over or under) adj voltage with multiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/03 14:14
L13	82	multiplexer with ("ADC" or "A/D") and (under or over) adj voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/03 14:18
L14	9	("MUX" or multiplexer) with input with (under or over) adj voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/03 14:21
L15	2766	(over or under) adj voltage adj protection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/03 14:23

L16	92	L15 and multiplexer and ("A/D" or "ADC")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/03 14:25
L17	5	L16 and (select\$3 near2 input\$1 with output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/03 14:26